EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	9	(@rlad<"20030110" or (@ad<"20030110") and ((edge marginal ingress outgress gateway) adj5 ((router node)) and (block\$3 adj3 probabilit\$3) and over \$load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 11:53
L15	6	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress gateway) adj5 (router node)) and (block\$3 adj3 probabilit\$3) and over \$load and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 11:54
L16	6	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress gateway) adj5 (router node)) and (block\$3 adj5 probabilit\$3) and over \$load and packet and ov \$load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16
L17	2	"20060007947"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 13:17
L18	6	[(@rlad<"20030110" or (@ad<"20030110") and ((edge marginal ingress outgress gateway) adj5 (router node)) and (block\$3 adj3 probabilit\$3) and over \$load and packet and (ov \$load threshold)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 14:57
L19	18	(@rlad<"20030110" or @ad<"20030110") and (edge adj5 (router node) near5 (threshold over \$load)) and packet	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:02
L20	30	(@rlad<"20030110" or @ad<"20030110") and (edge adj5 (router node) near5 (threshold over \$load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:03

L21	4	(@rlad<"20030110" or @ad<"20030110") and (edge adj5 (router node) near5 (threshold over \$load)) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:03
L22	0	(@rlad<"20030110" or @ad<"20030110") and ((edge adj5 (router node) near5 pair) with (threshold over\$load)) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:05
L23	15	(@rlad<"20030110" or @ad<"20030110") and ((edge adj5 node) near5 pair) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:06
L24	0	(@rlad<"20030110" or @ad<"20030110") and ((edge adj5 node) near5 pair) with overload and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:06
L25	0	(@rlad<"20030110" or @ad<"20030110") and (((edge adj5 node) near5 pair) with overload) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:06
L26	0	(@rlad<"20030110" or @ad<"20030110") and (((edge adj5 node) near5 pair) same overload) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:07
L27	0	((@rlad<"20030110" or @ad<"20030110") and (((edge adj5 (router node)) near5 pair) same overload) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:07
L28	1	(@rlad<"20030110" or @ad<"20030110") and (((edge adj5 (router node)) near5 pair) and overload) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:07
Si	2	"20060056299"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/12/11 19:22

S2	2155	(@rlad<"20030110" or @ad<"20030110") and block \$3 adj3 probabilit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:40
S3	19	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) and traffic and diff\$serv	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:45
S4	0	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) and traffic and diff\$serv and connectionless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:29
S5	9	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) and traffic and diff\$serv and (access near5 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:45
S6	2136	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) not (diffserv or diff-serv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:53
S7	2	(@rlad<"20030110" or (@ad<"20030110") and (block\$3 adig probabilit\$3) not (diffserv or diff-serv) and (limit adj3 value) and traffic adj3 (condition\$3 or polic\$3)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:55
S8	3	("2002/0027885").URPN.	USPAT	OR	ON	2007/12/11 19:57
S9	8	("20020027885" "5867502" "5933412" "6044080" "6088371" "6094417" "6202082" "6434611").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/11 19:59
S10	0	(@rlad<"20030110" or @ad<"20030110") and block \$3 adj3 probabilit\$3 and (marginal adj nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:05
S11	0	(@rlad<"20030110" or @ad<"20030110") and block \$3 adj3 probabilit\$3 and (marginal adj5 nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:05

S12	123	(@rlad< "20030110" or @ad< "20030110") and block \$3 adj3 probabilit\$3 and (node near5 pair)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:05
S13	74	(@rlad<"20030110" or @ad<"20030110") and block \$3 adj3 probabilit\$3 and (node adj5 pair)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:16
S14	1	(@rlad<"20030110" or @ad<"20030110") and block \$3 adj3 probabilit\$3 and (node adj5 pair) and (traffic adj5 limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:06
S15	5	("4788721" "4825206" "5095480" "5128926" "5412654").PN.	US-PGPUB; USPAT; USOOR	OR	ON	2007/12/11 20:07
S16	21	("5654958").URPN.	USPAT	OR	ON	2007/12/11 20:10
S17	21	("5654958").URPN.	USPAT	OR	ON	2007/12/11 20:15
S18	13	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) and (node adj5 pair) and (access adj2 control)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:19
S19	2155	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) not serv\$diff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 19:01
S20	288	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) not (serv\$diff) and traffic near5 (limit or control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 09:38
S21	58	[(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) not (serv\$diff) and traffic near\$ (limit or control) and overload	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 09:41
S22	58	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) and (traffic near5 (limit or control)) and overload not (serv\$diff)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 10:14

S23	19	(@rlad< "20030110" or @ad< "20030110") and (block\$3 adj3 probabilit\$3) and (traffic near5 (limit or control)) and overload and connection\$less not (serv \$diff)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 09:59
S24	31	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) and (traffic near5 (limit or control)) and overload and router not (serv\$diff)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 10:15
S25	0	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) and (edge near5 router) and limit and (access near3 control) and overload	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12
S26	0	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) and (edge same router) and limit and (access near3 control) and overload	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:41
\$27	15	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) and edge and router and limit and (access near3 control) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:44
S28	0	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj5 probabilit\$3) and edge and router and limit and (access near3 control) and overload and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:45
S29	2	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) and edge and router and limit and overload and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:45
S30	23	(@rlad<"20030110" or @ad<"20030110") and (block\$3 adj3 probabilit\$3) not serv\$diff and 370/235. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 19:01

S31	25	(@rlad<"20030110" or @ad<"20030110") and (link near3 capacity) and (throughput near3 block\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 14:07
S32	1	"20060056299"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 13:53
S33	0	metnth	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:19
S34	564	menth	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:19
S35	47	menth and siemens	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:19
S36	92670	menth and siemens marginal	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:20
S37	4	menth and siemens and marginal	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:20
S38	20	"6122753" "20020058797" "20040028054" "20060268685"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:49
S 39	25	"6122753" "20020120767" "20030058797" "20040028054" "20060268685" "20040136399"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:54
S40	24	"6122753" "20020120767" "20030058797" "20040028054" "20060268685" "20040136396"	US-PCPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:57
S41	0	(@rlad<"20030110" or (@ad<"20030110") and (block\$3 adj3 probabilit\$3) not (serv\$diff) and traffic near5 (limit or control) and overload and (edge adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:07
S42	29	(@rlad< "20030110" or @ad< "20030110") and (edge adj node) and (block \$3 adj3 probabilit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/12 15:08

S43	0	(@rlad<"20030110" or @ad<"20030110") and ((edge adj node) with (block \$3 adj3 probabilit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:09
S44	3	(@rlad< "20030110" or @ad< "20030110") and ((edge adj node) same (block\$3 adj3 probabilit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:09
S45	0	(@rlad<"20030110" or @ad<"20030110") and (((edge marginal ingress outgress) adj node) same (block\$3 adj3 probabilit\$3)) and (limit sla weight) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 16:22
S46	3	(@rlad<"20030110" or @ad<"20030110") and (ledge marginal ingress outgress) adj node) and (block\$3 adj3 probabilit\$3) and (limit sla weight) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 16:22
S47	9	("5321815" "5530806" "5561790" "5881243" "5933425" "6078963" "6098107" "6192043" "6256309").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/12 16:25
S48	39	("6633544").URPN.	USPAT	OR	ON	2008/12/12 16:26
S49	4	(@rlad<"20030110" or @ad<"20030110") and ((edge maginal ingress outgress) adj5 (router node)) and (blook\$3 adj3 probabilit\$3) and (limit sla weight) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 17:25
S50	101	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress) adj5 (router node)) and (block\$3 adj3 probabilit\$3) and (limit sla weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 17:37
S51	4	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress) adj5 (router node)) and (blook\$3 adj3 probabilit\$3) and (limit sla weight) and over\$load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 17:37

S52	3	("2002/0027885").URPN.	USPAT	OR	ON	2008/12/12 18:07
S53	3	("2002/0027885").URPN.	USPAT	OR	ON	2008/12/12 19:02
S54	8	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress) adj5 (router node)) and (block\$3 adj3 probabilit\$3) and over\$load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 20:23

^{4/ 16/ 2009 6:20:56} PM

C:\ Documents and Settings\ schan1\ My Documents\ EAST\ Workspaces\ 10542723 controlling traffic.wsp